

2018 Gathering of the Faithful Tech Quiz

- Ivory was a standard Porsche color for all years from 1950 until 1965 **except**:
 - 1953
 - 1956 *Sahara beige - slightly darker*
 - 1960
 - 1964
- Beehive tail lights were replaced by teardrops in 1957
 - True
 - False
- The most significant difference between 356B and 356C models is: *disk brakes*
- The Abarth Carrera coupe was built on which chassis?
 - 718
 - 356A
 - 356B
 - 904
- Concerning the Karmann Notchback, the following are true **except**:
 - It was built for 2 years
 - It was the rarest non-Carrera 356B body style
 - It spanned the T5 and T6 body styles
 - It had annular disc brakes
- The last 356Cs were built in:
 - 1964
 - 1965
 - 1966 *10 Cabriolets for Dutch police*
- Chrome bumpers were an option
 - True
 - False
- 1962 was the last year for Roadster production. How many were produced?
 - 49
 - 1049

c. 249

d. 699

9. The 356 coupe and cabriolet body was designed by:

a. Ferry Porsche

b. Erwin Komenda

c. Karl Rabe

d. Ernst Fuhrmann

10. Sodium exhaust valves were intended for:

a. Increased strength

b. Lighter weight

c. Decreased wear

d. Enhanced heat transfer

11. The last model to have a chromed passenger grab handle:

a. 356A

b. 356B T5

c. 356B T6

d. 356C

12. Porsche had its first class victory at LeMans in what year?

a. 1949

b. 1950

c. 1951

d. 1952

13. All the following were pushrod engine displacements during 356 production **except**:

a. 1100 cc

b. 1200 cc *VW displacement*

c. 1300 cc

d. 1500 cc

e. 1600 cc

14. The first Porsched designed synchromesh gearbox for production:

a. Typ 383

b. Typ 519

c. Typ 644

15. The first model year to come with a synchromesh tranny:

- a. 1951
- b. 1952
- c. 1953 *first 519s built July 1952 → 1953 model year*
- d. 1954

16. The Speedster was designed primarily to:

- a. Create a lighter weight vehicle for racing
- b. Update styling
- c. Expand vehicle production
- d. Reach a lower price point

17. The very earliest Speedsters were available in the following colors **except**:

- a. Black
- b. White
- c. Signal Red
- d. Sky Blue

18. The 3 piece engine case

- a. Was a mid-year running change
- b. Represented the first all-Porsche pushrod engine
- c. First appeared in November 1954
- d. First powered 1955 models
- e. All above are true

19. An ashtray was first incorporated into the dashboard in the:

- a. Pre-A
- b. 356A
- c. 356B
- d. 356C

20. The first counterbalanced crank appeared:

- a. As a replacement for the Hirth roller-bearing crank
- b. With the introduction of the Super 90 engine in 1960
- c. As a running change of the Super 90 engine in 1962
- d. With the introduction of the 356 SC engine

21. The 356 SC engine had 95 DIN horsepower vs. the 90 DIN hp of the S-90 engine, This was achieved by the following:

- a. Enlarging the inlet valve to 40 mm
- b. Enlarging the exhaust valve to 34 mm
- c. A new camshaft
- d. Increased compression to 9.5:1

e. b and d are correct

22. Fuel tank capacity in T6 356s was:

- a. 12.5 gal
- b. 13.2 gal
- c. 14.1 gal
- d. 15.9 gal

23. The clutch was enlarged to 200 mm with:

- a. The 356C model
- b. the use of the Hausermann clutch plate
- c. the introduction of the Super 90 model

d. the 1962 Super 90

24. The following are true concerning the last iteration of the 356 Carrera **except:**

Carrera 2

- a. Was introduced in April 1962
- b. Initially was 1600 cc and then enlarged to 2000 cc
- c. All had disc brakes
- d. Spanned both B and C body styles

25. Speedsters were built from 1954 until the end of the 1958 model year when it was replaced by the Convertible D.

a. True

b. False

Speedster Carreras & 16 pushrod Speedsters for racing

26. In 1958, the T2 body changes occurred these included:

- a. Steering wheel diameter increased to 16 $\frac{3}{4}$ inch
- b. Steering wheel diameter decreased to 15 $\frac{3}{4}$ inch
- c. Vent windows became standard on both coupes and cabriolets
- d. Worm and sector became standard steering box

27. A design study Typ 530 was intended to be a 4 seater

28. The 10,000th Porsche rolled off the assembly line in

- a. 1954
- b. 1955
- c. 1956
- d. 1957

29. The thermostatic oil control valve appeared and disappeared in what model year? 1958

30. The hood handle incorporating a Porsche crest first appeared on

- a. The 1953 models
- b. The Speedster
- c. The 356A models in 1956
- d. The first Carreras